



Now the snow falls where you want it to!

Every Yamaha machine, from motorcycle to outboard to snowmobile, is designed and engineered to make your life more relaxing and enjoyable - and in the case of our snow throwers, to turn a chore into a pleasure! For over 30 years, we've been meeting the needs of consumers and professionals by constantly introducing the very latest technologies and innovative features into our line-up.

Now, our snow throwers will cut you wider paths, throw your snow further and more accurately - and do it with a smooth, quiet easy-going efficiency that will surprise and delight you.

So when the snow comes, Yamaha is there to help you move it to where you want it.



- Powerful Yamaha 4-stroke engine and electric start
- Hydrostatic Transmission (HST) - a joy to drive
- Powerful 2-stage blower - throws snow 15 metres!
- Wide (61cm) snow clearing performance
- Tough rubber track drive - great grip and traction
- Easy control of chute rotation - electric powered
- 2-step chute - plastic liner reduces snow build-up
- Heavy duty steel 2-stage auger - for tough jobs
- 3-step gas-assisted auger height-



Yamaha 4-Stroke OHV engine with electric start

With the YT660 you can simply turn the key, relax and enjoy the smooth, quiet, reassuring power of the efficient and reliable Yamaha 4-stroke OHV engine. This durable, well-proven 175cc air-cooled unit provides plenty of torque and snow-throwing power, but also delivers excellent fuel economy, running on regular fuel (OCT95).



Hydrostatic Transmission (HST)

Our durable hydrostatic transmission system offers more precise speed control as well as smoother shifts between Forward and Reverse - with the use of a single lever. So you can change speed or stop without disengaging the tracks or affecting the speed of the impeller - or the remarkable distance (up to 15 metres) you are throwing that snow!



Powerful dual-stage auger/impeller system

The dual-stage auger/impeller system is designed to withstand the harshest winter conditions. The heavy-duty steel auger cuts a very wide path (61 cm) and has a serrated cutting edge that breaks up even icy, hard-packed snow - ready for the high-speed impeller to propel it through the 2-step chute and throw it up to 15 metres away.



Tough rubber track drive system

No slipping, no sliding - just great control. The rubber tracks are pliable, with large cleats for added grip when manoeuvring in difficult conditions. They provide good traction, even on steep driveways - and you can even expect this machine to climb steps when necessary. The system works in perfect harmony with the Hydrostatic Transmission.



Plastic-lined chute and easy-to-use controls

The 2-step chute has a plastic liner which prevents the build-up of wet snow and also reduces noise and wear. Rotation is electric-powered, with angle adjustment by a single lever. The interlock lever for auger and drive engagement is a one-handed operation too, leaving the other free to adjust speed or chute position on the fly.



Gas-assisted auger tilt system

The tough, 2-stage steel auger - with its aggressive serrated edge and 'Shock Protector' - also has a 3-position, gas-assisted tilt system, including a very helpful 'float' setting that allows the machine to adapt to the snow conditions by following the ground contours. Adjustment is simple and quick, using a single lever on the control bar.

Engine

Engine type	Single cylinder;4-stroke;air-cooled;OHV
Model	MZ175E
Displacement	171cc
Maximum power	4.4kw(6.0ps)
Starter system	Electric 12VDC battery type (std);manual recoil (with auto decompressor)
Ignition system	TCI

Dimensions

Fuel tank capacity	4.5litres
Engine oil capacity	0.6litres
Wet weight (including full oil and fuel tank)	102kg
Overall length x width x height	1,476mm x637mm x 1,108mm

Chute control

Turning radius	220°
----------------	------

Auger system

Diameter	310 mm
----------	--------

Drive system

Transmission system	Hydrostatic
Ground speed forward	0 - 3.2km/h
Ground speed reverse	0 - 2.4km/h

Capacity

Clearing width	615 mm
Housing height	440 mm
Snow clearing capacity	35tons/hr
Maximum snow throwing distance	14m

Not all models shown are available in every country. The specification and appearance of Yamaha products can vary from time to time without prior notice. Those shown here are only for illustrative purposes and are not contractual description of products. Snow thrower warranty is subject to specific conditions. For further details, please contact your Yamaha dealer.